



















Downlights

	Catalog # 24W-WH 24B-WH 24B-ABZ 24B-SC	Description White Baffle, White Trim Black Baffle, White Trim Black Baffle, Classic Aged Bronze Trim Black Baffle, Satin Chrome Trim	Max. Lamp Rating IC2/TC2/TC2R: 75W PAR30L, 65W BR30 Aperture 5 3/4"	<p>Tapered Baffle</p>				
	Catalog # 25W-WH 25B-WH 25B-SC	Description White Baffle, White Trim Black Baffle, White Trim Black Baffle, Satin Chrome Trim	Max. Lamp Rating IC2: 85W BR40/90W PAR38 TC2/TC2R: 120W BR40/150 PAR38 Aperture 5 3/4"	<p>Straight Baffle</p>				
	Catalog # 28W-WH 28B-WH	Description White Baffle, White Trim Black Baffle, White Trim	Max. Lamp Rating IC2: 75W A19/100W PAR38, 75W PAR30/30L, 85W BR30, 120W BR40 TC2/TC2R: 150W A21/150W PAR38, 75W PAR30/30L, 85W BR30, 120W BR40 Aperture 5 7/8"	<p>Ultra-Trim Baffle - Fully Enclosed</p>				
IMPORTANT: Wet location listed only with outdoor rated PAR30/38 lamp					Catalog # 244W-WH 244B-WH	Description White Baffle, White Trim Black Baffle, White Trim	Max. Lamp Rating IC2/TC2/TC2R: 75W PAR30, 75W PAR30L, 65W BR30 Aperture 5 3/4"	<p>Shallow Baffle</p>
	Catalog # 254W-WH 254B-WH	Description White, White Trim Black, White Trim	Max. Lamp Rating IC2/TC2/TC2R: 75W PAR30, 100W PAR38 Aperture 5 5/8"	<p>PAR30 Deep Baffle</p>				
	Catalog # 26B-WH 26C-WH 26G-WH 26HZ-WH 26PT-SC 26W-WH 26WHZ-WH	Description Black Alzak®, White Trim Clear Alzak®, White Trim Gold Alzak®, White Trim Haze, White Trim Pewter Alzak®, Satin Chrome Trim Gloss White, White Trim Wheat Haze, White Trim	Max. Lamp Rating IC2: 90W PAR38/85W BR40 TC2/TC2R: 150W PAR38/120W BR40 Aperture 5 3/4"	<p>Straight Cone</p>				
	Catalog # 27B-WH 27C-WH 27G-WH 27HZ-WH 27PT-SC 27W-WH 27WHZ-ABZ 27WHZ-WH	Description Black Alzak®, White Trim Clear Alzak®, White Trim Gold Alzak®, White Trim Haze, White Trim Pewter Alzak®, Satin Chrome Trim Gloss White, White Trim Wheat Haze, Classic Aged Bronze Trim Wheat Haze, White Trim	Max. Lamp Rating IC2/TC2/TC2R: 75W PAR30L/65W BR30 Aperture 5 7/8"	<p>Tapered Cone</p>				

Down-Lites

BR/PAR Downlights

 <p>Tapered Baffle</p>	<p>Catalog # 24W-WH 24B-WH 24B-ABZ 24B-SC</p>	<p>Description White Baffle, White Trim Black Baffle, White Trim Black Baffle, Classic Aged Bronze Trim Black Baffle, Satin Chrome Trim</p>	<p>Max. Lamp Rating 75W PAR30L, 50W PAR30, 65W BR30 Aperture 5 3/8"</p>	
 <p>Straight Baffle</p>	<p>Catalog # 25W-WH 25B-WH 25B-SC</p>	<p>Description White Baffle, White Trim Black Baffle, White Trim Black Baffle, Satin Chrome Trim</p>	<p>Max. Lamp Rating 50W PAR30, 65W BR30, 65W PAR38 Aperture 5 3/8"</p>	
 <p>Ultra-Trim Baffle-Fully Enclosed</p>	<p>Catalog # 28W-WH 28B-WH</p>	<p>Description White Baffle, White Trim Black Baffle, White Trim</p>	<p>Max. Lamp Rating 60W A19, 75W PAR30/30L 65W BR30, 90W PAR38/BR40 Aperture 5 7/8"</p>	
<p><small>IMPORTANT: Wet location listed only with outdoor rated PAR30/38 lamps</small></p>				
 <p>Shallow Baffle</p>	<p>Catalog # 244W-WH 244B-WH</p>	<p>Description White Baffle, White Trim Black Baffle, White Trim</p>	<p>Max. Lamp Rating 60W PAR30, 65W BR30, 75W PAR30L Aperture 5 3/4"</p>	
 <p>Tapered Cone</p>	<p>Catalog # 27B-WH 27C-WH 27G-WH 27HZ-WH 27PT-SC 27W-WH 27WHZ-ABZ 27WHZ-WH</p>	<p>Description Black Alzak®, White Trim Clear Alzak®, White Trim Gold Alzak®, White Trim Haze, White Trim Pewter Alzak®, Satin Gloss White, White Trim Wheat Haze, Classic Aged Bronze Trim Wheat Haze, White Trim</p>	<p>Max. Lamp Rating 50W PAR30, 65W BR30, 75W PAR30L Aperture 5 3/8"</p>	
 <p>Ultra-Trim Cone-Fully Enclosed</p>	<p>Catalog # 29C-WH 29W-WH</p>	<p>Description Clear Finish, White Trim White Finish, White Trim</p>	<p>Max. Lamp Rating 60W A19, 75W PAR30/30L 65W BR30, 90W PAR38/BR40 Aperture 5 7/8"</p>	
<p><small>IMPORTANT: Wet location listed only with outdoor rated PAR30/38 lamps</small></p>				
 <p>Shallow Cone</p>	<p>Catalog # 247B-WH 247C-WH 247G-WH 247HZ-WH 247WHZ-WH</p>	<p>Description Black Alzak®, White Trim Clear Alzak®, White Trim Gold Alzak®, White Trim Haze, White Trim Wheat Haze, White Trim</p>	<p>Max. Lamp Rating 75W PAR30L, 65W BR30, 75W PAR30 Aperture 5 3/4"</p>	
 <p>BR30 Open Frame</p>	<p>Catalog # 250-ABZ 250-SC 250-WH</p>	<p>Description Classic Aged Bronze Trim Satin Chrome Trim White Trim</p>	<p>Max. Lamp Rating 65W BR30 Aperture 4"</p>	

BR/PAR Downlights




Ultra-Trim Baffle-Fully Enclosed

Catalog #
28W-WH
28B-WH

Description
White Baffle, White Trim
Black Baffle, White Trim

Max. Lamp Rating
60W A19, 75W PAR30/30L
65W BR30, 90W PAR38/BR40

Aperture
5 7/8"



IMPORTANT: Wet location listed only with outdoor rated PAR30/38 lamps




Shallow Baffle

Catalog #
244W-WH
244B-WH

Description
White Baffle, White Trim
Black Baffle, White Trim

Max. Lamp Rating
65W BR30, 60W PAR30
75W PAR30L

Aperture
5 3/4"




Ultra-Trim Cone-Fully Enclosed

Catalog #
29C-WH
29W-WH

Description
Clear Finish, White Trim
White Finish, White Trim

Max. Lamp Rating
60W A19, 75W PAR30/30L
65W BR30, 90W PAR38/BR40

Aperture
5 7/8"



IMPORTANT: Wet location listed only with outdoor rated PAR30/38 lamps




Shallow Cone

Catalog #
247B-WH
247C-WH
247G-WH
247HZ-WH
247WHZ-WH

Description
Black Alzak®, White Trim
Clear Alzak®, White Trim
Gold Alzak®, White Trim
Haze, White Trim
Wheat Haze, White Trim

Max. Lamp Rating
75W PAR30, 75W PAR30L,
65W BR30

Aperture
5 3/4"




BR30 Open Frame

Catalog #
250-ABZ
250-SC
250-WH

Description
Classic Aged Bronze Trim
Satin Chrome Trim
White Trim

Max. Lamp Rating
65W BR30

Aperture
4"



A-Lamp Downlights




Economy A-Lamp Reflector with Baffle

Catalog #
230CW-WH
230CB-WH

Description
White Baffle, White Trim
Black Baffle, White Trim

Max. Lamp Rating
40W A19

Aperture
5 1/2"



Downlights

	Catalog # 28W-WH 28B-WH	Description White Baffle, White Trim Black Baffle, White Trim	Max. Lamp Rating ICPL626: 26W ICPL632: 32W PL642: 42W Aperture 5 7/8"	 Ultra-Trim Baffle - Fully Enclosed
	Catalog # 29C-WH 29W-WH	Description Clear Finish, White Trim White Finish, White Trim	Max. Lamp Rating ICPL626: 26W ICPL632: 32W PL642: 42W Aperture 5 7/8"	 Ultra-Trim Cone - Fully Enclosed
	Catalog # 233C-WH	Description Clear Alzak® with Black Baffle, White Trim Note: Specify General Electric or Osram Sylvania lamps only.	Max. Lamp Rating ICPL626: 26W ICPL632: 32W PL642: 42W Aperture 5 7/8"	 Reflector with Black Baffle
	Catalog # 232C-WH 232G-WH 232HZ-WH 232W-WH 232WHZ-WH	Description Clear Alzak®, White Trim Gold Alzak®, White Trim Haze, White Trim Semi-Gloss White, White Trim Wheat Haze, White Trim Note: Specify General Electric or Osram Sylvania lamps only.	Max. Lamp Rating ICPL626: 26W ICPL632: 32W PL642: 42W Aperture 5 7/8"	 Reflector
	Catalog # 2320C-WH NEW 2320HZ-SC 2320HZ-WH 2320WHZ-ABZ 2320WHZ-WH	Description Clear Low Iridescent Alzak®, White Trim (Optimized for 32W/42W) Haze, Satin Chrome Trim Haze, White Trim Wheat Haze, Classic Aged Bronze Wheat Haze, White Trim	Max. Lamp Rating ICPL626: 26W ICPL632: 32W PL642: 42W Aperture 6"	 Reflector
Lensed				
	Catalog # 22-WH	Description Fresnel Lens, White Trim	Max. Lamp Rating ICPL626: 26W ICPL632/PL642: 32W 	 Fresnel
	Catalog # 239-WH	Description Frosted Lens, White Trim	Max. Lamp Rating ICPL626: 26W ICPL632/PL642: 32W 	 Frosted Lens with Reflector

Downlights




Ultra-Trim Baffle

Catalog #
28W-WH
28B-WH

Description
White Baffle, White Trim
Black Baffle, White Trim

Max. Lamp Rating
ICPL/PL618: 18W
ICPL/PL613: 13W
Aperture
5 7/8"




Ultra-Trim Cone

Catalog #
29C-WH
29W-WH

Description
Clear Finish, White Trim
White Finish, White Trim

Max. Lamp Rating
ICPL/PL618: 18W
ICPL/PL613: 13W
Aperture
5 7/8"




Reflector

Catalog #
232C-WH
232G-WH
232HZ-WH
232W-WH
232WHZ-WH

Description
Clear Alzak®, White Trim
Gold Alzak®, White Trim
Haze, White Trim
Semi-Gloss White, White Trim
Wheat Haze, White Trim

Max. Lamp Rating
ICPL/PL618: 18W
ICPL/PL613: 13W
Aperture
5 7/8"



Note: Specify General Electric or Osram Sylvania lamps only.




Reflector with Black Baffle

Catalog #
233C-WH

Description
Clear Alzak® with Black Baffle, White Trim

Max. Lamp Rating
ICPL/PL618: 18W
ICPL/PL613: 13W
Aperture
5 7/8"



Note: Specify General Electric or Osram Sylvania lamps only.

Lensed



Frosted Lens with Reflector

Catalog #
239-WH

Description
Frosted Lens, White Trim

Max. Lamp Rating
ICPL/PL618: 18W
ICPL/PL613: 13W




Abalite Lens with Reflector

Catalog #
240-PW
240-WH

Description
Shower/Closet Light, Plastic White
Shower/Closet Light, White Trim

Max. Lamp Rating
ICPL/PL618: 18W
ICPL/PL613: 13W



Note: For 18W housings, use only Phillips or Osram Sylvania lamps.



Drop Opal with Reflector

Catalog #
241-PW
241-WH

Description
Shower/Closet Light, Plastic White
White Trim

Max. Lamp Rating
ICPL/PL618: 18W
ICPL/PL613: 13W



Fresnel

Catalog #
22-WH

Description
White Trim

Max. Lamp Rating
ICPL/PL618: 18W
ICPL/PL613: 13W

